

**Figure 1. Nucleotide sequence of encoded hPot1-hTERT fusion protein.**

## BEST AVAILABLE COPY




Figure 2. hTERT proteins retain telomerase activity when fused to hPot1. (A) Lysates from HA5 cell expressing the described constructs were immunoblotted with anti-flag antibodies to detect ectopic hTERT containing proteins. Actin serves as a loading control. (B) Lysates were assayed for *in vitro* telomerase activity. The internal standard (IS) served as a positive control for PCR amplification.

BEST AVAILABLE COPY




Figure 3. The hPot1-hTERT chimeric proteins elongate telomeres. Restriction enzyme digested genomic DNA isolated from late passage HA5 cells expressing hTERT, hPot-hTERT or hPot1-hTERT<sup>+128</sup> and from HA5 cells were hybridized with a telomeric probe to visualize telomere containing fragments. Left, molecular weight markers in kilo bases (Kb). Sample for hPot1-hTERT was underloaded (\*).

BEST AVAILABLE COPY




Figure 4. HA5 cells expressing hPot1-hTERT fusion proteins immortalize. The lifespan in population doublings (pd) of HA5 cell lines infected with vectors expressing hPot1-hTERT ( $\square$ ), hPot1-hTERT+128 ( $\circ$ ) or controls expressing vector alone ( $\blacktriangle$ ), hTERT ( $\blacksquare$ ) or hTERT+128 ( $\bullet$ ) is plotted against time in days.